10/527,873

P-2564

RECEIVED CENTRAL PAX CENTER SEP 2 5 2008

Claim Amendments Including a complete listing of all claims

- 1. (Currently Amended) An electronically detectable ball usable for a ball game, comprising:
 - a bladder,
 - an external covering enclosing said bladder, and
- a passive location sensor weighing less than ten grams, atleast a portion of and which is completely integrated into said bladder, said passive location sensor capable of being detected by a transceiver adjacent a goal upon the ball completely passing a goal line,

whereby the occurrence of a goal is positively detected.

- 2. (Canceled)
- (Canceled)
- 4. (Canceled)
- 5. (Canceled)
- 6. (Canceled)

- 7. (Canceled)
- 8. (Canceled)
- 9. (Currently Amended) The electronically detectable ball of claim 1, wherein said sensor is configured to be responsive to pressure-and/or infra-red radiation and/or to a metal detector.
- 10. (Currently Amended) A sensor system for detecting a position of an electronically detectable ball, the system comprising:

an electronically detectable ball having a passive location sensor weighing less than ten grams;

- a transceiver configured to detect an said electronically detectable ball when said electronically detectable ball passes outside of a predefined area of a game field, and
- a support structure configured to support said transceiver at a $\underline{\text{the}}$ predefined area of a $\underline{\text{the}}$ game field.
- 11. (Previously Presented) The system of claim 10 wherein said transceiver is configured to detect said electronically detectable ball with a spatial resolution that is equal to or less than a diameter of said electronically detectable ball.

P-2564

- 12. (Previously Presented) The system of claim 10, further comprising an indicator means configured to indicate, when said electronically detectable ball is within a specified region of said predefined area.
- 13. (Previously Presented) The system of claim 12, wherein said indicator means comprises a mobile display means configured to wirelessly communicate with said indicator means.
- 14. (Currently Amended) The system of claim 10 wherein the electronically detectable ball comprises:

a bladder;

an external covering enclosing said bladder; and

wherein the passive location a sensor, at least a portion of

which is completely integrated into said bladder.

- 15. (New) A system for detecting a goal comprising: an inflatable ball having a bladder and outer covering;
- a passive sensor located inside the bladder of said inflatable ball, said passive sensor weighing less than ten grams;
- a transceiver positioned adjacent a goal so as to detect said passive sensor when said inflatable ball has completely crossed a goal line;

10/527,873

an electronic device worn by a referee capable of receiving a signal from said transceiver, whereby a goal is confirmed by the referee; and

an electronic cabin housing an official and additionally receiving the signal from said transceiver, whereby a decision of the referee may be checked.

16. (New) A system for detecting a goal as in claim 15 wherein:

said transceiver is positioned at least 30 cm inside the goal line, whereby interference from a goalkeeper or other players is prevented.